fiorion

SUPER INTERACTIVE FLAT PANEL



Address: NO 4023, Wuhe Road, Bantian, Longgang district, Shenzhen, Guangdong, China Note: The relevant data is for reference only. The specific parameters are subject to the actual product. The information has been carefully neteded and as accurate to the best of our knowledge. The product function is subject to change without notice. The company reserves the english of the information and the company reserves the english to find interpretation of the content.

*l*iorion

6,000 employees

280,000 m² Huizhou

100,000 m² Shenzhen R&D base Shenzhen Horion Intelligent Technology Cb., Ltd. is committed to becoming a feading provider of intelligent Includes and soutions in China Incated in Tian'an Yungu, an emerging smart industrial park in Shenzhen, it has set up multiple industrial parks in Shenzhen and Huizhou and many after sales servide butlets throughout the country.

Horion adheres to the corporate mission of intelligence Transforms the Future and hopes to popularize the Interactive flat panel among enterprises to help create high-end conference images. The Interactive flat panel is not only a device for smart conference, but also a product that enhances corporate image and officiency. It can be applied to variety connected the business meetings, corporate offices, education and training and product display. It is powerful and easy to use.

Horion has always been focusing on product R&D with professionalism, dedication and innovation, and is committed to leading the commercial display industry. We have never stopped exploring new conference solutions from a future perspective, developing cutting-edge technology to facilitate intelligent conferences and to tring forth a new era of intelligent business meetings. We are committed to providing high-quality conference expedience for enterprises.

SHENZHEN BANTIAN FACTORY







ust-free workshop



Automated workshop

CORPORATE HONOR



- 2016 National High-tech Enterprise
- 2018 General Distributor of LG China Commercial Display
- China Top 100 Electronics Enterprise for 8 consecutive years
- China Top 500 Private Enterprise in Manufacturing Industry for 3 consecutive vears
- 2016 Shenzhen Well-known Brand
- 2017 Good Product of Shenzhen
- 2017 Best Interactive flat panel Brand (Some awards above are of the Group)

A creative and inspirational interactive flat panel

The high-precision writing technology can help quickly capture inspirations, and express each idea to the fullest, awaken the inner artist of every user.



Real writing experience

The high-precision infrared touch screen can intelligently perceive gestures such as writing, erasing, zooming in/out, and moving written content. Tap gently with your fingertip to write smoothly. It feels like writing with real pen and paper. You can change brush thickness and color as you like.

Flexible documentation comments

Click the "comment" button, you can add comments under any interface and take screenshot to save

Scan code to share

You can save the content as pictures to U\$B disk, or send it to a mailbox. Or, you can generate a QR code, scan with your phone to review the content later.

- Touch to write
- Zoom freely
- Erase with the back of your hand
- Add pages
- Drag and drop
- Diverse storage methods








Excel), pictures, audio and video files on mobil phones / tablets / laptops can be wirele transmitted to the Interactive flat panel bringing a new interactive experience.



downloaded before mirroring; For iPhone and iPad, use its screen mirroring function to interact with the Interactive flat panel in i





Aesthetic

An example for aesthetic design; it is designed by European design masters, and the design has won a national patent, Patent number: 201730634911.4

Efficient


Faster processing speed, larger storage space, more efficient meeting.

Intelligent

Various built-in applications specially developed for meeting scenarios, including vote system, timer, and welcome page, make meetings smarter.



MODEL Size	55M2A 55"	65M2A 65"	75M2A 75"	86M2A 86"	98M2A 98"						
						Backlight type	D-LED	D-LED	D-LED	DHLED	D-LED
						Resolution	3840*2160 (4K)				
Brightness	350cd/m²	450cd/m²	450cd/m²	400cd/m²	500cd/m²						
Contrast Ratio	1200:1	1200:1	1200:1	1200:1	1300:1						
Response Time	7ms	6ms	7ms	7ms	5ms						
Pixel Pitch	0.315mm*0.315mm	0.496mm*0.372mm	0.429mm*0.429mm	0.4935mm*0.4935mm	0.5622mm*0.5622mm						
Refreshing frequency	60Hz	60Hz	60Hz	60Hz	120Hz						
Viewing angle	178"(H)/178"(V)	178"(H)/178"(V)	178"(H)/178"(V)	178"(H)/178"(V)	178*(H)/178*(V)						
Color Gamut	65%	65%	65%	65%	65%						
View area	1209,6mm*680,4mm	1428,48mm*803,52mm	1647,36mm*926,64mm	1895,04mm*1065,96mm	2158,848mm*1214,352m						
Display Colors	1,07B(10bit)	1.07B(10bit)	1,07B(10bit)	1,07B(10bit)	1,07B(10bit)						
Life Time	30,000hrs	30,000hrs	30,000hrs	30,000hrs	30,000hrs						
System Properties											
Architecture	ARM Cortex A53	ARM Cortex A53	ARM Cortex A53	ARM Cortex A53	ARM Cortex A53						
Working Frequency	1,4GHz	1.4GHz	1.4GHz	1.4GHz	1.4GHz						
Core	Quad Core	Quad Core	Quad Core	Quad Core	Quad Core						
GPU	Mali-450	Mal-450	Mali-450	Ma l =450	Mali-450						
RAM	2GB	2GB	2GB	2GB	2GB						
ROM	32GB Standard	32GB Standard	32GB Standard	32GB Standard	32GB Standard						
Power											
voltage	100V-240V/AC,50/60Hz	100V-240V/AC,50/60Hz	100V-240V/AC,50/60Hz	100V-240V/AC,50/60Hz	100V-240V/AC,50/60H						
Power consumption without OPS	140W	170W	400W	440W	480W						
Power consumption in standby mode	<0.5W	<0.5W	<0.5W	<0.5W	<0.5W						
Power(AC) Input	*1	*1	*1	*1	*1						
Interface											
HDMIIN	*2(HDMI2 4K 60HZ Supported)	*2(HDMI2 4K 60HZ Supported)	*2(HDMI2 4K 60HZ Supported)	*2(HDMI2 4K 60HZ Supported)	*2(HDMI2 4K 60HZ Supported)						
LAN	*1	*1	*1	*1	*1						
VGAIN	*1	*1	*1	*1	*1						
PC-AUDIO IN	*1	*1	*1	*1	*1						
S/PDIF OUT	*1	*1	*1	*1	*1						
OPS	*1	*1	*1	*1	*1						
MEDIA-USB	*3	*3	*3	*3	*3						
TOUCH-USB	*1	*1	*1	*1	*1						
Earphone OUT	*1	*1	*1	*1	*1						
HDMI OUT Structure	*1	*1	*1	*1	*1						
	401-44 51-	43.5kg±1.5kg	00.415-14.515-	00.004.50	100.0%-11.5%-						
Net Weight	42kg±1.5kg		62.4 Kg±1.5Kg	82.8Kg±1.5Kg	136.3Kg±1.5Kg						
Gross Weight roduct Size (mm)(W x D x H)	50.2kg±1.5kg (Heavycarton) 1300mm*114 mm*771 mm	54.65Kg±1.5Kg (Hanycarton) 1519 mm*114mm*895mm	80Kg±1,5Kg (Henycarton) 1745mm*117mm*1024mm	100.7Kg±1,5Kg (Heavycartes) 1998 mm*115 mm*1169mm	187.5Kg±1,5Kg (Heavy control 2242 mm*117 mm*1298 m						
ackage Size (mm)W x D x H	1420mm*245mm*910mm (Heavy Carton)	1660mm*245mm*1045mm (Heavy carton)	1880mm*280mm*1160mm(Hessycator)	2140mm*280mm*1340mm (Heavy carton)	2525mm*435mm*1750mm (He)						
VESA	4-M6 Screw hole 400mmx400mm	4-M6 screw hole 500mm*400mm	4-M6 screw hole 600mm*400mm	4-M6 screw hole 700mm*400mm	4-M6 screw hole 800mm*400						
Housing Material	Aluminum/Sheet Metal	Aluminum/Sheet Metal	Aluminum/Sheet Metal	Aluminum/Sheet Metal	Aluminum/Sheet Metal						
Housing Color	Gray/Black	Gray /Black	Gray/Black	Gray /Black	Gray /Black						
Touch System	Glay/Diack	Gray/Diack	Glay/Dlack	Olay / Didok	Gray/black						
Sensing Type	Infrared Touch Frame	Infrared Touch Frame	Infrared Touch Frame	Infrared Touch Frame	Infrared Touch Frame						
Surface Protection	4mm AG Toughened	4mm AG Toughened	4mm AG Toughened	4mm AG Toughened	4mm AG Toughened						
Response time	<15ms	<15ms	<15ms	<15ms	<15ms						
Touch Accuracy	2mm	2mm	2mm	2mm	2mm						
Input mode	Fingerorpen	Finger or pen	Finger or pen	Finger or pen	Fingerorpen						
Operating systems	o F	O	0		0 F,						




Smart pen
Three-button combination, operate freely

Microphone



Camera











(pictures are taken from the installation site)

Government agencies

Horion interactive flat panel walked integovernment agencies and institutions, streamlining business processes, improving efficiency, and helping build a more efficient service oriented government.



China Earthquake Administration



Chinla Customs



ntlermedilate Pledple's Court



Shanghai Welfare Institute



Headquarters for Flood Control
and Drought Relief of the Yellow River

Banks

Adre and more banks
Introduced Horion Interactive
Lat parell With its help, they
ealize innovation and upgrade
ervices to provide customers
vith efficient and convenient
ill-round services.



Bank of China



China Everbright Blank I



Industrial and Commercial Banklof China (ICBC)



Baoshang Bank



Bank of Communications



Huaxia Bank

(pictures are taken from the installation site)

Schools and **Jniversities**











institutions











Langxia kindergarten





(pictures are taken from the installation site)

Real estate industry

Horion interactive flat pariel supports
multi-touch function. You can handwrite
to input words by touching the screen,
play videos of real estate industry, and
search and compare the flouse type as you
need on the flat panel.



Wanye Real Estate



Fian'an Real Estalte



Guangxia Design Institute



Hongjie Construction Group



Jiangsu Jinho Construction Group

Manufacturing industry

As technology collides with tradition, Horion interactive flat panel injects new vitality into the manufacturing industry brings more convenient and efficient interactive conference experience, and improves the efficiency of team communication and collaboration.



Hitach



Panasonik



GKEE



Sanderson machinery

(pictures are taken from the installation site)

Corporate offices
















21:16













Snowman Technology

Datang Mobile Communications

Cargill